

Foot Tapping Test

EVIDENCE

The Foot Tapping Test has a category C recommendation in accordance with COSMIN criteria (1-3) due to high quality evidence for insufficient criterion validity.

RELIABILITY

Property	Result Summary	Overall Rating	Quality of Evidence	Reference
Reliability	Test-retest stability: Pearson's correlation range 0.90–0.93; total sample size: 126	Indeterminate	Low	(25)

VALIDITY

Property	Result Summary	Overall Rating	Quality of Evidence	Reference
Criterion validity	JOA Pearson's correlation: 0.66; total sample size: 126	Insufficient	High	(25)
	JOA MFLE Pearson's correlation: 0.70; total sample size: 126			
Construct validity	Grip-and-release test [convergent] Pearson's correlation: 0.58; total sample size: 126	Sufficient	High	(25)

RESPONSIVENESS

Property	Result Summary	Overall Rating	Quality of Evidence	Reference
Responsiveness	Foot tapping test Mean change score: 6; total sample size: 6	Indeterminate	Very low	(25)

INTERPRETABILITY

- No formal assessment found

FEASIBILITY

Tool	Time (Min)	Equipment	Training	License	Money	Ease of Administration	Overall Assessment
Foot Tapping Test	5	Minimal	No	No	No	Minimal barriers	Minimal barriers